



China 608zz Bearing Supplier



6215 Bearing 2D drawings and 3D CAD models

Koyo Brand Steel Shield 6215 ZZ C3 Single Row Deep Groove Ball Bearing

Bearing No. 6215

Size	75x130x25 mm
Bore Diameter	75 mm
Outer Diameter	130 mm
Width	25 mm
d	75 mm
D	130 mm
B	25 mm
C	25 mm
r min.	1,5 mm
da min.	83 mm
Da max.	122 mm
ra max.	1,5 mm
Weight	1,18 Kg
Basic dynamic load rating (C)	67,4 kN
Basic static load rating (C0)	48,3 kN
(Grease) Lubrication Speed	4800 r/min
(Oil) Lubrication Speed	5800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.239
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



China 608zz Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	75MM Bore; 130MM Outside Diameter; 25MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6215
Weight / LBS	2.729
Outside Diameter	5.118 Inch 130 Millimeter
Outer Race Width	0.984 Inch 25 Millimeter
Bore	2.953 Inch 75 Millimeter
Bearing No.	6215
r(min)	1.5
Cr	84.3
C0r	48.3
Cu	3.10
f0	14.5
Grease lub.	4800
Oil lub.	5800



China 608zz Bearing Supplier

da(min)	83
Da(max)	122
ra(max)	1.5
(Refer.)Mass(kg)	1.18